


Message

From: lyris@swrcb18.waterboards.ca.gov [lyris@swrcb18.waterboards.ca.gov]
Sent: 3/20/2019 6:43:57 PM
To: Thompson, Brian [Thompson.Brian@epa.gov]
Subject: Brief update and doodle poll for Central Valley Pyrethroids TMDL and Basin Plan Amendment



This is a message from the California Regional Water Quality Control Board, Central Valley (5).

On 8 June 2017 the Central Valley Water Board adopted a Basin Plan Amendment and TMDL for the Control of Pyrethroid Pesticide Discharges in the Sacramento and San Joaquin River Basins. The State Water Board approved the Basin Plan Amendment on 10 July 2018. The Office of Administrative Law (OAL) approved the Amendment on 19 February 2019. The Pyrethroid TMDLs in the Amendment still require USEPA approval, but the rest of the Amendment now fully approved and effective. The TMDLs in the Amendment have been sent to USEPA and USEPA's decision on potential approval of the TMDLs is expected in April 2019. Completion of baseline monitoring for pyrethroids by municipal stormwater and agricultural dischargers is required 2 years from the date of OAL approval. Baseline monitoring for municipal or domestic wastewater dischargers will be conducted during their effluent characterization monitoring. The conditional prohibition established by the Amendment becomes effective 3 years from the date of OAL approval.

A pyrethroid research plan is also required to be completed within two years of the date of OAL approval.

A stakeholder meeting to discuss the current status and upcoming implementation and monitoring requirements, and begin work on the Pyrethroids Research Plan will be held in April or May 2019. If you are interested in attending or participating remotely, please fill out the doodle poll at the link below by 26 March.

<https://doodle.com/poll/fn4dfa3fm2a8t25h>

Please feel free to contact me or Jessica Mullane at Jessica.mullane@waterboards.ca.gov or (916) 464-4691 if there are any questions or to discuss.

Daniel J. McClure, P.E.
Senior Water Resource Control Engineer
Central Valley Regional Water Quality Control Board
11020 Sun Center Drive #200
Rancho Cordova, CA 95670
(916) 464-4751
dmcclure@waterboards.ca.gov



You are currently subscribed to reg5_cvpyrethroids_tmdl_bpa as: thompson.brian@epa.gov.

To unsubscribe click here: leave-7184747-5232379.ea9ef5a4c83d7c609104cacc9f64b054@swrcb18.waterboards.ca.gov